
SECTION 1: Product and Company Information

1.1 Product Identifier

Product Identifier : Anthracite Carbon
Other Identifier : Not Applicable
CAS Number : 8029-10-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the substance/preparation: Water treatment filter media
Use only as directed

1.3 Details of the supplier of the safety data sheet

Northern Filter Media, Inc.
2509 Pettibone Avenue
Muscatine, IA 52761
800-962-7190
Info@northernfiltermedia.com
www.northernfiltermedia.com

1.4 Emergency telephone number

Emergency number: 563-263-2711
7:00 AM – 3:30 PM
Monday through Friday

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**GHS-US classification**

Carc. 1A H350
STOT SE 3 H335

2.2 Label Elements**GHS-US labeling**

Hazard pictograms (GHS-US)



GHS08

Signal word (GHS-US) : Warning
Hazard statements : H335 - May cause respiratory irritation
H320 – May cause eye irritation
H315 – May cause temporary skin irritation
H303 – May cause irritation if ingested

P261 – Avoid breathing dust/fume
 P264 – Wash thoroughly after handling
 P305 – IF IN EYES: Irrigate for 15 minutes
 P304 – IF INHALED: Remove to fresh air
 P402 – Store in a dry place
 P403 – Store in a well ventilated place
 P404 – Store in a closed container

2.3 Other hazards

No additional information available

SECTION 3: Composition/information on ingredients**3.1 Substances**

| Name | Product identifier | % | Other identifiers |
|-------------------|---------------------|-----|-----------------------------------|
| Anthracite carbon | (CAS No.) 8029-10-5 | 100 | C ₁₅ H ₁₁ O |

SECTION 4: First aid measures**4.1 Description of first aid measures**

First aid measures general: If medical is needed, have product container or label at hand

First aid measures after inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First aid measures after skin contact: Rinse immediately with plenty of water. Gently wash with soap and water. Obtain medical attention if irritation persists.

First aid measures after eye contact: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Seek medical attention if material is embedded in eye. If eye irritation persists seek medical attention.

First aid measures after ingestion: If swallowed, do not induce vomiting. Seek medical advice immediately and show the container or label.

4.2 Most important symptoms and effects, both acute and delayed

Symptom/injuries: Repeated or prolonged exposure may cause chronic effects.

Symptom/injuries after inhalation: May irritate or cause inflammation or pulmonary fibrosis of the respiratory system.

Symptom/injuries after skin contact: Prolonged contact with large amounts of dust may cause mechanical irritation. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptom/injuries after eye contact: Redness, pain

Symptom/injuries after ingestion: Abdominal pain

Revision date: 8/29/2019

Version: 1.1

Chronic symptoms: Dust may irritate respiratory tract, skin, eyes. Prolonged exposure may cause chronic effects.

4.3 Indication of any immediate medical attention and special treatment needed

Target organs: Respiratory system and cardiovascular system

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, CO₂, water spray or regular foam. Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Fire hazard: Avoid producing suspensions of dust during handling and avoid exposure of suspensions to sources of ignition. Suspensions of -40 mesh particles may explode if exposed to strong ignition sources.

Explosion hazard: Carbon monoxide and carbon dioxide gas may emit upon combustion of material.

Reactivity: Contact with strong oxidizers such as ozone or liquid oxygen may cause rapid combustion.

5.3 Advice for firefighter

Precautionary measures fire: In case of fire and/or explosion do not breathe the fumes. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.

Firefighting instructions: Apply extinguishing media carefully to avoid creating airborne dust

Protection during firefighting: Wear full protective clothing and NIOSH approved self-contained breathing apparatus with full face piece, operated in positive pressure.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of a material from eyes, skin and clothing.

6.1.1 For non-emergency personnel

Protective equipment: Wear suitable protective clothing, gloves and eye/face protection. Use recommended respiratory protection.

Revision date: 8/29/2019

Version: 1.1

Emergency procedures: Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools.

6.1.2 For emergency responders

No additional information available

6.2 Environmental precautions

Although this product is not classified as an environmental hazardous material, large or frequent spills may cause potential problems.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Small spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
Large spills: If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Avoid dispersal of dust in the air (i.e. clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

6.4 Reference to other sections

Review section 7 (Handling and storage) of this safety data sheet before proceeding with clean-up.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Additional hazards when processed: Do not breathe dust.

Precautions for safe handling: Avoid dispersion into air. Keep containers dry and closed. Follow good handling and housekeeping practices to minimize spills, generation of airborne dusts and accumulation of dust on exposed surfaces. Use with adequate exhaust ventilation to draw dust away from workers' breathing zone. Prevent or minimize exposures to dust by using appropriate respirators, gloves and eye protection. Wash exposed skin areas thoroughly with soap and water. Use caution when pouring, using pneumatic transport, swirling, etc. As this material can become electrostatically charged and present a dust explosion hazard.

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product and once again before leaving the

workplace. Do not eat, drink or smoke in areas where product is used.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in dry, cool place. Keep container tightly closed.

Incompatible material: Strong oxidizers such as ozone, liquid oxygen, chlorine, permanganate, etc.

Storage area: Store in dry, cool area.

Specific rules on packaging: Keep container closed when not in use.

7.3 Specific end use(s)

Water treatment filter media

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Anthracite Carbon (8029-10-5) | Result | OSHA & HR | ACGIH TLV & HR |
|-----------------------------------|--------|-------------------|-------------------|
| | | Mg/m ³ | Mg/m ³ |
| Particulates not regulated (PNOR) | TWA | 15 (total) | - |
| | | 5 (respirable) | - |
| Particulates not classified (PNO) | TWA | - | 10 (inhalable) |
| | | - | 3 (respirable) |

***Exposure limits have not been established for this material. The above widely accepted limits for exposure to otherwise nontoxic particulates*

8.2 Exposure controls

Appropriate engineering: Provide ventilation if necessary to minimize exposure. General ventilation is usually acceptable, but local mechanical exhaust ventilation is preferred at sources of air contamination such as open process equipment.

Personal protective equipment: In case of dust production: dustproof clothing and protective goggles. Insufficient ventilation: wear respiratory protection. High dust production: self-contained breathing apparatus.



Revision date: 8/29/2019

Version: 1.1

| | |
|-----------------------------|--|
| Hand protection: | Wear appropriate dust resistant gloves |
| Eye protection: | Safety glasses with side shields. If eye contactor dusty conditions are likely, wear dust tight goggles. |
| Skin and body protection: | Avoid repeated or prolonged skin contact. Always wear appropriate dust resistant clothing and gloves. |
| Respiratory equipment: | If use conditions generate dust levels above TLV/PEL, wear a NIOSH approved particulate respirator or a NIOSH approved cartridge fitted with dust filters. |
| Consumer exposure controls: | Do not breathe dust. Wear recommended personal protective equipment. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|----------------|
| Appearance: | Black |
| Odor threshold: | Not applicable |
| pH: | Not applicable |
| Melting point/freezing point: | Not applicable |
| Initial boiling point/range: | Not applicable |
| Flash point: | Not applicable |
| Evaporation point: | Not applicable |
| Upper/lower flammability or explosive limit: | >220° C |
| Vapor pressure: | 0 |
| Vapor density (air = 1): | Solid |
| Relative density (water = 1): | 0.4 to 0.7 |
| Solubility: | Not soluble |
| Auto ignition temperature: | >220° C |

9.2 Other information

| | |
|-----------------|-------|
| Physical state: | Solid |
|-----------------|-------|

Revision date: 8/29/2019

Version: 1.1

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not reactive under normal conditions of use.

10.2 Chemical stability

Normally stable

10.3 Possibility of hazardous reactions

Not applicable

10.4 Conditions to avoid

Contact with strong oxidizers such as ozone, liquid oxygen, permanganate, etc. may result in rapid combustion. Avoid contact with strong acids.

10.5 Incompatible materials

Oxidizers such as ozone, liquid oxygen, permanganate, etc.

10.6 Hazardous decomposition products

Hazardous decomposition will produce carbon oxides.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Likely routes of exposure: Eye, skin contact, inhalation, ingestion.

Acute toxicity:

| Chemical name | LC50 | LD50 (oral) | LD50 (dermal) |
|-------------------|----------------|----------------|----------------|
| Anthracite carbon | Not applicable | Not applicable | Not applicable |

Ingestion: Expected to be low ingestion hazard

Inhalation: May cause damage to organs by inhalation. Excessive, long exposure by inhalation to coal dust may lead to a condition called workers' pneumoconiosis (or "Black Lung"). This condition may be characterized by cough, shortness of breath, reduction of pulmonary function, pulmonary hypertension, bronchitis, emphysema and premature death.

Skin corrosion/irritation: Skin contact is expected to be slightly irritating.

Serious eye damage/irritation: Eye contact can cause conjunctivitis, epithelial hyperplasia of the cornea, as well as eczematous inflammation of the eyelids.

STOT (Specific Target Organ Toxicity) – single exposure

Inhalation: Not classified

Skin absorption: Not classified

Ingestion: Not classified

Aspiration hazard: Not available

Revision date: 8/29/2019

Version: 1.1

STOT (Specific Target Organ Toxicity) – repeated exposure

May cause damage to organs through prolonged contact

Respiratory and/or skin sensitization: May cause irritation on prolonged contact

Carcinogenicity: There are no known carcinogenic/mutagenic effects

Reproductive Toxicity

Development of offspring: Non-hazardous by WHMIS/OSHA criteria

Sexual function and fertility: Non-hazardous by WHMIS/OSHA criteria

Germ cell mutagenicity: Non-hazardous by WHMIS/OSHA criteria

Other effects: None known

SECTION 12: Ecological information

12.1 Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2 Persistence and degradability

No data is available on the degradability of this product.

12.3 Bio accumulative potential

No data is available

12.4 Mobility in soil

No data is available

12.5 Other adverse effects

No other adverse effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1 Disposal methods

Review federal, state/provincial and local government requirements prior to disposal. Collect and reclaim or dispose in sealed containers at licensed waste site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used containers. Dispose in accordance with all applicable regulations.

SECTION 14 Transport information

Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulation, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.

Revision date: 8/29/2019

Version: 1.1

14.1 UN number

Not applicable to unused finished product.

14.2 UN proper shipping name

Not applicable to unused finished product.

14.3 Overland transport

Not applicable to unused finished product.

14.4 Transport by sea

Not applicable to unused finished product.

14.5 Air transport

Not applicable to unused finished product.

14.6 Additional information

Not applicable to unused finished product.


This material does not meet the definition of a self-heating substance (Class 4.2) as defined by the test protocol for a self-heating substance. United Nations Transportation of Dangerous Goods, Manual of Tests and Criteria, Part III, Section 33.3.1.6-Test N.4-Test Method for Self-Heating Substances.

SECTION 15 Regulatory information**15.1 US Federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

| | |
|---|---|
| TSCA Section 12(b) Export Notification (40 CFR 707, Supt D) | Not regulated |
| CERCLA Hazardous Substance List (40 CFR 302.4) | Not listed |
| Clean Air Act (CAA) Section 112®Accidental Release Prevention (40CFR 68.130) | Not regulated |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List | Not regulated |
| Hazard categories | Immediate hazard – No Delayed hazard – Yes Fire hazard – No Pressure hazard – No Reactivity hazard - No |
| SARA 302 Extremely hazardous substance | Yes |
| SARA 311/312 Hazardous chemical | Yes |
| SARS 313 (TRI reporting) | Not regulated |

15.2 International regulations**15.2.1 Canada**

| | |
|----------------------|--|
| WHMIS status | Controlled |
| WHMIS classification | Class D Division 2 Subdivision B |
| WHMIS labeling |  Class D2B |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

15.2.2 National regulations

| Country(s) or region | Inventory name | On inventory (yes/no*) |
|-----------------------------|--|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substance Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country.

15.3 US State regulations

| | |
|--|------------|
| U.S. – California – Proposition 65 – Carcinogen | Not listed |
| U.S. – Texas – Effects Screening Levels: Listed Substance (Anthracite, Carbon CAS 8029-10-5 is listed) | |
| U.S. – Massachusetts – Right to Know List (Not regulated) | |
| U.S. – Pennsylvania - Right to Know List (Not regulated) | |
| U.S. – Rhode Island – RTK (Right to Know) List (Not regulated) | |

SECTION 16: Other information

NFPA health hazard: 1 – slight hazard
 NFPA fire hazard: 1 – Materials will burn above 200°F
 NFPA reactivity: 0 – Normally stable, even under fire exposure conditions and are not reactive with water



Full text of H-phrase:

| | |
|-----------|---|
| Carc. 1A | Carcinogenicity Category 1A |
| STOT RE 1 | Specific target organ toxicity (repeated exposure) Category 1 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H303 | May cause irritation if ingested |
| H315 | May cause temporary skin irritation |
| H320 | May cause eye irritation |
| H335 | May cause respiratory irritation |

Revision date: 8/29/2019

Version: 1.1

| | |
|------|--|
| H350 | May cause cancer |
| H372 | Causes damage to organs through prolonged or repeated exposure |

Keys to Abbreviations:

| | |
|--------|---|
| ACIGH* | American Conference of Governmental Industrial Hygienists |
| OSHA | US Occupational Safety and Health Administration |
| HSDB* | Hazardous Substances Data Bank |

CAS No. 8029-10-5

The above information is believed to be accurate based on the most current data available and current as of the date of this Safety Data Sheet and is offered in good faith. Northern Filter Media, Inc. makes no warranty; either expressed or implied, with respect to such information, and assumes no liability resulting from its use. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Northern Filter Media, Inc., it is the user's obligation to determine the conditions of safe use of the product and the suitability of each product or product combination for their own purposes. Northern Filter Media, Inc. shall not be liable for claims, losses or damages of any third party or for lost profits or incidental or consequential damages.